

www.merillife.com

Corporate Headquarters, Vapi

Meril Healthcare Pvt. Ltd.
H1-H3, Meril Park
Survey No. 135/2/B & 174/2
Muktanand Marg, Chala
Vapi 396 191. Gujarat. India.
T: +91 260 3052 100
F: +91 260 3052 125
E: orthopedics@merillife.com

International Sales & Marketing

Meril Healthcare Pvt. Ltd.
612, B-Wing, Bonanaza
Sahar Plaza, Andheri East
Mumbai 400 059
Maharashtra. India.
T: +91 22 3935 0700
F: +91 22 4047 9717

India Sales & Marketing

Meril Healthcare Pvt. Ltd.
512, Midas, Sahar Plaza, J.B. Nagar
Andheri East, Mumbai 400 059
Maharashtra. India.
T: +91 22 4047 9797

Meril South America

DOC MED LTDA
1079 – Cep: 04077-003 - Moema
Sao Paulo, Brazil
T/F: +55 11 3624 5935/6

Meril GmbH

Bornheimer Strasse 135 – 137
D – 53119 Bonn, Germany
T/F: +49 228 7100 4000/1

Meril Tibbi Cihazlar

Imalat Ve Ticaret A.S.
6, Mimar Sinan Mah.,
Cavusbasi Cad, Ozde Sok
Aydin Eksi Is Merkezi Kat:1
Cekmekoy/Istanbul, Turkey
T: +90 53 2272 5172



Health Care


ARMAR™ Catalogue

Plate | Screw | Instrument

Meril Orthopedic

Meril is known for an uncompromising attitude when it comes to quality of design. Providing the medical world with zero defect devices is our only motto. Our orthopedic trauma products--Meril Locking Plate System 3.5, Meril Locking Plate System 4.5, Meril Compression Plate System 3.5, Meril Compression Plate System 4.5, Meril Dynamic Hip Fixation System, and Meril Locking Distal Radial System 2.4 are specifically designed to treat fractures, bone tumour and deformities. They boast of high fatigue strength, proper fixation and negligible soft tissue damage.

We have been providing trauma implants for the foot, shoulder, hip, hand, pelvis, and condyles. In order to ensure smooth and trouble-free operating procedures leading medical professionals rely only on our Trauma products. We have carried out performance testing to prove our design for its endurance and durability and the outcome of these tests prove that they are going to create a dynamic image in the history of joint replacement.



Index

• ARMAR™ 2.4mm Locking Distal Radial Plate System	1
• ARMAR™ 3.5mm Meril Locking Plate System	15
• ARMAR™ Elbow-Clavicle Plate System	37
• ARMAR™ 4.5mm Meril Locking Plate System	51
• ARMAR™ Dynamic Hip Fixation Plate System	69
• MBOSS™ 4.5mm Cannulated Screw	89
• MBOSS™ 6.5mm Cannulated Screw	95
• ARMAR™ Proximal Humeral Locking Plate System	103
• ARMAR™ Proximal Lateral Tibia Locking Plate System	107
• ARMAR™ Distal Femoral Locking Plate System	113
• ARMAR™ 3.5mm Small Fragment Plate System	119
• ARMAR™ 4.5mm Large Fragment Plate System	129

ARMAR™ 2.4 Locking Distal Radial Plate System

LPS Distal Radial Plate 2.4, Volar | Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT5303043L	5	3	43
MT-PT5303043R	5	3	43
MT-PT5303061L	5	5	61
MT-PT5303061R	5	5	61



LPS Distal Radial Plate 2.4, Volar Buttress | Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT5304042L	5	3	42
MT-PT5304042R	5	3	42
MT-PT5304057L	5	4	52
MT-PT5304057R	5	4	52



LPS Distal Radial Plate 2.4, Extra-articular | Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT5303048L	5	3	48
MT-PT5305066L	5	5	66
MT-PT5303047L	4	3	47
MT-PT5305065L	4	5	65
MT-PT5303048R	5	3	48
MT-PT5305066R	5	5	66
MT-PT5303047R	4	3	47
MT-PT5305065R	4	5	65



LPS T-Distal Radial Plate 2.4 | Material : TiCP | Thickness : 1.6mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT4203040	3	3	40
MT-PT4204049	3	4	49



ARMAR™ 2.4 Locking Distal Radial Plate System

LPS Distal Radial Plate 2.4, Straight | Material : TiCP | Thickness : 1.6mm

PRODUCT CODE	SHAFT HOLES	LENGTH
MT-PT4205048	5	48
MT-PT4206057	6	57



LPS L-Distal Radial Plate 2.4 Right Angled | Material : TiCP | Thickness : 1.6mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT4202040L	2	3	40
MT-PT4202049L	2	4	49
MT-PT4203040L	3	3	40
MT-PT4203049L	3	4	49
MT-PT4202040R	2	3	40
MT-PT4202049R	2	4	49
MT-PT4203040R	3	3	40
MT-PT4203049R	3	4	49



LPS L-Distal Radial Plate 2.4, Oblique angled | Material : TiCP | Thickness : 1.6mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT4203043L	3	3	43
MT-PT4204052L	3	4	52
MT-PT4203043R	3	3	43
MT-PT4204052R	3	4	52



LPS Distal Radial Plate 2.4, Long | Material : TiCP | Thickness : 1.6mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT5308100	4	8	100
MT-PT5310120	4	10	120
MT-PT5312140	4	12	140



ARMAR™ 2.4 Locking Distal Radial Plate System

2.4mm LPS Volar Rim Distal Radial Plate | Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT7106057R	6	5	57
MT-PT7106057L	6	5	57
MT-PT7107057R	7	5	57
MT-PT7107057L	7	5	57



2.4mm LPS Double-Column Distal Radial Plate, Volar 19.5 mm

Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT6802042R	6	2	42
MT-PT6803051R	6	3	51
MT-PT6804063R	6	4	63
MT-PT6805072R	6	5	72
MT-PT6802042L	6	2	42
MT-PT6803051L	6	3	51
MT-PT6804063L	6	4	63
MT-PT6805072L	6	5	72



2.4mm LPS Double-Column Distal Radial Plate, Volar 22.5 mm

Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT6902045R	6	2	45
MT-PT6903054R	6	3	54
MT-PT6904066R	6	4	66
MT-PT6905075R	6	5	75
MT-PT6902045L	6	2	45
MT-PT6903054L	6	3	54
MT-PT6904066L	6	4	66
MT-PT6905075L	6	5	75



ARMAR™ 2.4 Locking Distal Radial Plate System

2.4mm LPS Double-Column Distal Radial Plate, Volar 25.5 mm

Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	SHAFT HOLES	LENGTH
MT-PT7002047R	7	2	47
MT-PT7003056R	7	3	56
MT-PT7004068R	7	4	68
MT-PT7005077R	7	5	77
MT-PT7002047L	7	2	47
MT-PT7003056L	7	3	56
MT-PT7004068L	7	4	68
MT-PT7005077L	7	5	77



MBOSS™ 2.4mm Screw

Ø 2.4mm Locking Screw T8, Self Tapping | Material : TAN

Head Diameter : 3.6mm | Outer Diameter : 2.4mm | Core Diameter : 1.9mm | Pitch : 0.6mm

PRODUCT CODE	LENGTH
MT-ST0124006	6
MT-ST0124007	7
MT-ST0124008	8
MT-ST0124009	9
MT-ST0124010	10
MT-ST0124011	11
MT-ST0124012	12
MT-ST0124013	13
MT-ST0124014	14
MT-ST0124016	16
MT-ST0124018	18
MT-ST0124020	20
MT-ST0124022	22
MT-ST0124024	24
MT-ST0124026	26
MT-ST0124028	28
MT-ST0124030	30



Ø 2.4mm Cortex Screw T8, Self Tapping | Material : TAN

Head Diameter : 4.0mm | Outer Diameter : 2.4mm | Core Diameter : 1.7mm | Pitch : 1.0mm

PRODUCT CODE	LENGTH
MT-ST0224006	6
MT-ST0224007	7
MT-ST0224008	8
MT-ST0224009	9
MT-ST0224010	10
MT-ST0224012	12
MT-ST0224014	14
MT-ST0224016	16
MT-ST0224018	18
MT-ST0224020	20
MT-ST0224022	22
MT-ST0224024	24
MT-ST0224026	26
MT-ST0224028	28
MT-ST0224030	30
MT-ST0224032	32
MT-ST0224034	34
MT-ST0224036	36
MT-ST0224038	38
MT-ST0224040	40



MBOSS™ 2.4mm Screw

Ø 2.7mm Cortex Screw T8, Self Tapping | Material : TAN

Head Diameter : 5.0mm | Outer Diameter : 2.7mm | Core Diameter : 1.9mm | Pitch : 1.0mm

PRODUCT CODE	LENGTH
MT-ST0527008	8
MT-ST0527010	10
MT-ST0527012	12
MT-ST0527014	14
MT-ST0527016	16
MT-ST0527018	18
MT-ST0527020	20
MT-ST0527022	22
MT-ST0527024	24
MT-ST0527026	26
MT-ST0527028	28
MT-ST0527030	30
MT-ST0527032	32
MT-ST0527034	34
MT-ST0527036	36
MT-ST0527038	38
MT-ST0527040	40
MT-ST0527045	45
MT-ST0527050	50
MT-ST0527055	55
MT-ST0527060	60



MBOSS™ 2.4mm Screw

2.4mm Headless Compression Screw Short Thread

Material : TAN | Head Diameter : 3.1 | Outer Diameter : 2.4 | Core Diameter : 1.9 | Pitch : 1.0

PRODUCT CODE	LENGTH
--------------	--------

MT-ST0324009	09
MT-ST0324010	10
MT-ST0324012	12
MT-ST0324014	14
MT-ST0324016	16
MT-ST0324018	18
MT-ST0324020	20
MT-ST0324022	22
MT-ST0324024	24
MT-ST0324026	26
MT-ST0324028	28
MT-ST0324030	30
MT-ST0324032	32
MT-ST0324034	34
MT-ST0324036	36
MT-ST0324038	38
MT-ST0324040	40



2.4mm Headless Compression Screw Long Thread

Material : TAN | Head Diameter : 3.1 | Outer Diameter : 2.4 | Core Diameter : 1.9 | Pitch : 1.0

PRODUCT CODE	LENGTH
--------------	--------

MT-ST0424016	16
MT-ST0424018	18
MT-ST0424020	20
MT-ST0424022	22
MT-ST0424024	24
MT-ST0424026	26
MT-ST0424028	28
MT-ST0424030	30



ARMAR™ 2.4mm Locking Plate System Instrument Set



ARMAR™ 2.4mm Locking Plate System Instrument Set

Part No:MT-INDR24001

Description

Drill bit Ø1.8mm, Length 110 2-flute, for Quick Coupling



Part No:MT-INDR24002

Description

Drill Bit Ø2.0mm, Length 110 2-flute, for Quick Coupling



Part No:MT-INDR24003

Description

Drill Bit Ø2.5mm, Length 100mm, 2-flute, for Quick Coupling



Part No:MT-INDR24004

Description

Drill Bit Ø2.7mm, Length 103mm, 2-flute, for Quick Coupling



Part No:MT-INDR24007

Description

Universal Drill Guide 2.4



ARMAR™ 2.4mm Locking Plate System Instrument Set

Part No:MT-INDR24008

Description

Universal Drill Guide 2.7



Part No:MT-INDR24005

Description

LPS Drill Sleeve 2.4, with Scale up to 30mm, for Drill bits Ø1.8mm



Part No:MT-INDR24006

Description

LPS Drill Sleeve 2.7 with Scale up to 30mm, for Drill bits Ø2.0mm



Part No:MT-INDR24015

Description


Screwdriver shaft, T8, self-holding



Part No:MT-INDR24013

Description

Manual 0.8Nm Torque Limiter



Part No:MT-INDR24020

Description

Quick Change Handle Large with Quick Coupling, Length 138



ARMAR™ 2.4mm Locking Plate System Instrument Set

Part No:MT-INDR24018

Description


Depth Gauge for Screws 2.0/2.4mm, measuring range up to 40mm



Part No:MT-INDR24026

Description

Termite forceps, Ratchet lock, length 130mm



Part No:MT-INDR24022

Description

Pliers flat nosed, Pointed for plates 1mm to 2.4mm



Part No:MT-INDR24023

Description

Bone lever, small, Short narrow tip, width 6mm, Length 160mm



ARMAR™ 2.4mm Locking Plate System Instrument Set

Part No:MT-INDR24024

Description

Periosteal elevator slightly curved blade straight edges width 3mm, length 187/87mm



Part No:MT-INDR24021

Description

Grasping sets of 2.4/2.7 locking screw, Screw Driver T8



Part No:MT-INDR24016

Description

Screw Driver Stardrive T8 Self Holding



Part No:MT-INDR24028

Description

Ø1.25mm Guide Wire Length 150mm



Part No:MT-INDR24027

Description

Instrument Case with Lid-DR24



ARMAR™ 3.5mm Meril Locking Plate System

LPS-Small Compression Plate | Material : TiCP | Thickness : 3.3mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0804059	4	59
MT-PT0805072	5	72
MT-PT0806085	6	85
MT-PT0807098	7	98
MT-PT0808111	8	111
MT-PT0809124	9	124
MT-PT0810137	10	137
MT-PT0811150	11	150
MT-PT0812163	12	163
MT-PT0813176	13	176
MT-PT0814189	14	189
MT-PT0815202	15	202
MT-PT0816215	16	215
MT-PT0818241	18	241
MT-PT0820267	20	267
MT-PT0822293	22	293



LPS-Small Metaphyseal Plate | Material : TiCP | Thickness : 3.3mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1606086	6	86
MT-PT1607099	7	99
MT-PT1608112	8	112
MT-PT1609125	9	125
MT-PT1610138	10	138
MT-PT1611151	11	151
MT-PT1612164	12	164
MT-PT1614190	14	190
MT-PT1616216	16	216
MT-PT1618242	18	242



ARMAR™ 3.5mm Meril Locking Plate System

LPS-Reconstruction Round Hole Plate 3.5 | Material : TiCP | Thickness : 3.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0705058	5	58
MT-PT0706070	6	70
MT-PT0707082	7	82
MT-PT0708094	8	94
MT-PT0709106	9	106
MT-PT0710118	10	118
MT-PT0712142	12	142
MT-PT0714166	14	166



LPS-Reconstruction Combined Hole Plate 3.5 | Material : TiCP | Thickness : 3.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1804056	4	56
MT-PT1805070	5	70
MT-PT1806084	6	84
MT-PT1807098	7	98
MT-PT1808112	8	112
MT-PT1809126	9	126
MT-PT1810140	10	140
MT-PT1811154	11	154
MT-PT1812168	12	168
MT-PT1814196	14	196
MT-PT1816224	16	224
MT-PT1818252	18	252
MT-PT1820280	20	280
MT-PT1822308	22	308



ARMAR™ 3.5mm Meril Locking Plate System


LPS-T Plate Right Angled 3.5 | Material : TiCP | Thickness : 1.8mm

PRODUCT CODE	HOLES		LENGTH
	HEAD	SHAFT	
MT-PT1903050R	3	3	46
MT-PT1904056R	3	4	56.5
MT-PT1905067R	3	5	67
MT-PT1904056R	4	4	57
MT-PT1906078R	4	6	78



LPS Cloverleaf Plate | Material : TiCP | Thickness : 2.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1303088	3	92
MT-PT1304104	4	107
MT-PT1305120	5	121
MT-PT1306136	6	136



LPS T Plate Oblique Angled 3.5 | Material : TiCP | Thickness : 1.8mm

PRODUCT CODE	HOLES		LENGTH
	HEAD	SHAFT	
MT-PT2003052L	3	3	52
MT-PT2004063L	3	4	63
MT-PT2005074L	3	5	74
MT-PT2006085L	3	6	85
MT-PT2007096L	3	7	96
MT-PT2008107L	3	8	107
MT-PT2003052R	3	3	52
MT-PT2004063R	3	4	63
MT-PT2005074R	3	5	74
MT-PT2006085R	3	6	85
MT-PT2007096R	3	7	96
MT-PT2008107R	3	8	107



ARMAR™ 3.5mm Meril Locking Plate System

LPS Proximal Humerus Plate Short 3.5 | Material : TiCP | Thickness : 3.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT5103090	3	90
MT-PT5105114	5	114



LPS Proximal Humerus Plate Long 3.5 | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT5205142	5	142
MT-PT5206160	6	160
MT-PT5208196	8	196
MT-PT5210232	10	232
MT-PT5212268	12	268



LPS Proximal Tibia Plate 3.5 | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1704081L	4	76
MT-PT1706107L	6	102
MT-PT1708133L	8	128
MT-PT1710159L	10	154
MT-PT1712185L	12	180
MT-PT1714211L	14	206
MT-PT1716237L	16	232
MT-PT1704081R	4	76
MT-PT1706107R	6	102
MT-PT1708133R	8	128
MT-PT1710159R	10	154
MT-PT1712185R	12	180
MT-PT1714211R	14	206
MT-PT1716237R	16	232



ARMAR™ 3.5mm Meril Locking Plate System

LPS Medial Proximal Tibial Plate 3.5 | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
--------------	-------	--------

MT-PT1404093L	4	93
MT-PT1406119L	6	119
MT-PT1408145L	8	145
MT-PT1410171L	10	171
MT-PT1412197L	12	197
MT-PT1414223L	14	223
MT-PT1416249L	16	249
MT-PT1418275L	18	275
MT-PT1420301L	20	301
MT-PT1404093R	4	93
MT-PT1406119R	6	119
MT-PT1408145R	8	145
MT-PT1410171R	10	171
MT-PT1412197R	12	197
MT-PT1414223R	14	223
MT-PT1416249R	16	249
MT-PT1418275R	18	275
MT-PT1420301R	20	301



LPS Medial Distal Tibia Low Bend Plate 3.5 | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
--------------	-------	--------

MT-PT4704109L	4	109
MT-PT4706135L	6	135
MT-PT4708161L	8	161
MT-PT4710187L	10	187
MT-PT4712213L	12	213
MT-PT4714239L	14	239
MT-PT4704109R	4	109
MT-PT4706135R	6	135
MT-PT4708161R	8	161
MT-PT4710187R	10	187
MT-PT4712213R	12	213
MT-PT4714239R	14	239



ARMAR™ 3.5mm Meril Locking Plate System

LPS One Third Tubular Plate 3.5 | Material : TiCP | Thickness : 1.2mm

PRODUCT CODE	HOLES	LENGTH
--------------	-------	--------

MT-PT5002028	2	28
MT-PT5003040	3	40
MT-PT5004052	4	52
MT-PT5005064	5	64
MT-PT5006076	6	76
MT-PT5007088	7	88
MT-PT5008100	8	100
MT-PT5009112	9	112
MT-PT5010124	10	124
MT-PT5012148	12	148



LPS Proximal Humerus Locking Plate 3.5 | Material : TiCP | Thickness : 2.5mm

PRODUCT CODE	HOLES	LENGTH
--------------	-------	--------

MT-PT4905085	5	85
MT-PT4908121	8	121



LPS Anterior-Lateral Distal Tibial Plate | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
--------------	-------	--------

MT-PT1205080L	5	80
MT-PT1207106L	7	106
MT-PT1209132L	9	132
MT-PT1211158L	11	158
MT-PT1213184L	13	184
MT-PT1215210L	15	210
MT-PT1217236L	17	236
MT-PT1219262L	19	262
MT-PT1221288L	21	288
MT-PT1205080R	5	80
MT-PT1207106R	7	106
MT-PT1209132R	9	132
MT-PT1211158R	11	158
MT-PT1213184R	13	184
MT-PT1215210R	15	210
MT-PT1217236R	17	236
MT-PT1219262R	19	262
MT-PT1221288R	21	288



ARMAR™ 3.5mm Meril Locking Plate System

3.5mm LPS Calcaneal Plate

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	TYPE	LENGTH
MT-PT2115064L	Mini	64
MT-PT2115069L	Small	69
MT-PT2115076L	Long	76
MT-PT2115064R	Mini	64
MT-PT2115069R	Small	69
MT-PT2115076R	Long	76



3.5mm LPS Periarticular Proximal Lateral Tibia Plate

Material : TiCP | Thickness : 3.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT7306112L	6	112
MT-PT7308138L	8	138
MT-PT7310164L	10	164
MT-PT7312190L	12	190
MT-PT7314216L	14	216
MT-PT7316242L	16	242
MT-PT7306112R	6	112
MT-PT7308138R	8	138
MT-PT7310164R	10	164
MT-PT7312190R	12	190
MT-PT7314216R	14	216
MT-PT7316242R	16	242



3.5mm LPS Periarticular Proximal Lateral Humeral Plate

Material : TiCP | Thickness : 3.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT7404078L	4	78
MT-PT7406104L	6	104
MT-PT7408130L	8	130
MT-PT7412182L	12	182
MT-PT7416234L	16	234
MT-PT7404078R	4	78
MT-PT7406104R	6	104
MT-PT7408130R	8	130
MT-PT7412182R	12	182
MT-PT7416234R	16	234



ARMAR™ 3.5mm Meril Locking Plate System

3.5mm LPS Proximal Tibia Plate, Posteromedial

Material : TiCP | Thickness : 3.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT7501069	1	69
MT-PT7502079	2	79
MT-PT7504105	4	105
MT-PT7506131	6	131
MT-PT7508157	8	157
MT-PT7510183	10	183



2.7mm/3.5mm LPS Lateral Distal Fibula Plate

Material : TiCP | Thickness : 3.0 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT6704080R	4	80
MT-PT6706106R	6	106
MT-PT6708132R	8	132
MT-PT6710158R	10	158
MT-PT6704080L	4	80
MT-PT6706106L	6	106
MT-PT6708132L	8	132
MT-PT6710158L	10	158




MBOSS™ 3.5mm Screw

Ø 3.5mm Locking Screw, Self Tapping | Material : TAN

Head Diameter : 5.0mm | Outer Diameter : 3.5mm | Core Diameter : 2.9mm | Pitch : 0.8mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1235010	10
MT-ST1235012	12
MT-ST1235014	14
MT-ST1235016	16
MT-ST1235018	18
MT-ST1235020	20
MT-ST1235022	22
MT-ST1235024	24
MT-ST1235026	26
MT-ST1235028	28
MT-ST1235030	30
MT-ST1235032	32
MT-ST1235034	34
MT-ST1235036	36
MT-ST1235038	38
MT-ST1235040	40
MT-ST1235042	42
MT-ST1235044	44
MT-ST1235046	46
MT-ST1235048	48
MT-ST1235050	50
MT-ST1235052	52
MT-ST1235054	54
MT-ST1235056	56
MT-ST1235058	58
MT-ST1235060	60
MT-ST1235062	62
MT-ST1235065	65
MT-ST1235070	70
MT-ST1235075	75
MT-ST1235080	80
MT-ST1235085	85
MT-ST1235090	90
MT-ST1235095	95



MBOSS™ 3.5mm Screw

Ø 3.5mm Cortex Screw, Self Tapping | Material : TiCP

Head Diameter : 6.0mm | Outer Diameter : 3.5mm | Core Diameter : 2.4mm | Pitch : 1.25mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1135010	10
MT-ST1135012	12
MT-ST1135014	14
MT-ST1135016	16
MT-ST1135018	18
MT-ST1135020	20
MT-ST1135022	22
MT-ST1135024	24
MT-ST1135026	26
MT-ST1135028	28
MT-ST1135030	30
MT-ST1135032	32
MT-ST1135034	34
MT-ST1135036	36
MT-ST1135038	38
MT-ST1135040	40
MT-ST1135042	42
MT-ST1135044	44
MT-ST1135046	46
MT-ST1135048	48
MT-ST1135050	50
MT-ST1135055	55
MT-ST1135060	60
MT-ST1135065	65
MT-ST1135070	70
MT-ST1135075	75
MT-ST1135080	80
MT-ST1135085	85
MT-ST1135090	90



MBOSS™ 3.5mm Screw

Ø 4.0mm Cancellous Screw, Short Thread | Material : TiCP

Head Diameter : 6.0mm | Outer Diameter : 4.0mm | Core Diameter : 2.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1940010	10
MT-ST1940012	12
MT-ST1940014	14
MT-ST1940016	16
MT-ST1940018	18
MT-ST1940020	20
MT-ST1940022	22
MT-ST1940024	24
MT-ST1940026	26
MT-ST1940028	28
MT-ST1940030	30
MT-ST1940035	35
MT-ST1940040	40
MT-ST1940045	45
MT-ST1940050	50
MT-ST1940055	55
MT-ST1940060	60
MT-ST1940065	65
MT-ST1940070	70
MT-ST1940075	75
MT-ST1940080	80



MBOSS™ 3.5mm Screw

Ø 4.0mm Cancellous Screw, Full Thread Screw | Material : TiCP

Head Diameter : 6.0mm | Outer Diameter : 4.0mm | Core Diameter : 2.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1840010	10
MT-ST1840012	12
MT-ST1840014	14
MT-ST1840016	16
MT-ST1840018	18
MT-ST1840020	20
MT-ST1840022	22
MT-ST1840024	24
MT-ST1840026	26
MT-ST1840028	28
MT-ST1840030	30
MT-ST1840040	35
MT-ST1840035	40
MT-ST1840045	45
MT-ST1840050	50
MT-ST1840055	55
MT-ST1840060	60
MT-ST1840065	65
MT-ST1840070	70
MT-ST1840075	75
MT-ST1840080	80



MBOSS™ 3.5mm Screw

Ø 3.5mm Locking Cancellous Screw, Self Tapping | Material : TAN

Head Diameter : 5.0 mm | Outer Diameter : 3.5 mm | Core Diameter : 2.0 mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST8435030	30
MT-ST8435035	35
MT-ST8435040	40
MT-ST8435045	45
MT-ST8435050	50
MT-ST8435055	55
MT-ST8435060	60
MT-ST8435065	65
MT-ST8435070	70
MT-ST8435075	75
MT-ST8435080	80
MT-ST8435085	85
MT-ST8435090	90



ARMAR™ 3.5mm Locking Plate System Instrument Set



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS001

Description

Drill Bit Ø2.0mm, Length 125mm, 2 flute, for Quick coupling



Part No:MT-INSLPS002

Description

Drill Bit Ø2.5mm, Length 125mm, 2 flute, for Quick coupling



Part No:MT-INSLPS003

Description

Drill Bit Ø2.8mm, Length 147mm, 2-flute, for Quick coupling



Part No:MT-INSLPS004

Description

Drill Bit Ø3.5mm, Length 125mm, 2 flute, for Quick coupling



Part No:MT-INSLPS044

Description

Drill Bit Ø2.8mm, Length 200mm, 2-flute, for Quick coupling



Part No:MT-INSLPS005

Description

Countersink for 3.5mm Screw Head Length 120mm



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS006

Description

Tap for Cortex screw Ø3.5mm Length 115mm for Quick Coupling



Part No:MT-INSLPS020

Description

LPS Drill Sleeve for Drill Bits Ø2.8mm, Length 90mm



Part No:MT-INSLPS012

Description

LPS Drill Sleeve for Drill Bits Ø2.8mm, Length 65mm



Part No:MT-INSLPS015

Description

Universal Drill Guide 2.5mm & 3.5mm



Part No:MT-INSLPS014

Description

Double Drill Guide 2.5mm & 2.5mm for Neutral and Load position



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS011

Description

Double drill Guide 3.5mm & 2.5 mm



Part No:MT-INSLPS023

Description

2.5 Screw Driver shaft with quick coupling for Torque Limiter



Part No:MT-INSLPS024

Description

Screwdriver, Hexagonal, small, A/F 2.5mm, with Groove & Holding Sleeve



Part No:MT-INSLPS025

Description

Screwdriver Shaft 2.5, hexagonal, self-holding sleeve



Part No:MT-INSLPS022

Description

Manual 1.5Nm Torque Limiter



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS026

Description

Wrench-SLPS



Part No:MT-INSLPS038

Description

Extraction Screw for 3.5mm Screws



Part No:MT-INSLPS039

Description

Broken Screw Extractor - SLPS



Part No:MT-INSLPS032

Description

Quick Change Handle for SLPS



Part No:MT-INSLPS031

Description

T-Handle with Quick coupling SLPS



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS019

Description

Screw Holding Sleeve - SLPS



Part No:MT-INSLPS033

Description

Screw Holding Forceps - SLPS



Part No:MT-INSLPS035

Description

Bone Holding Forceps, Self Centering for SLPS



Part No:MT-INSLPS036

Description

Termite Stagbeetle (small)



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS037

Description

Reduction Forceps With Points (small)



Part No:MT-INSLPS017

Description

Guide Wire - Kriscchner - SLPS



Part No:MT-INSLPS034

Description


Plate Bending Rod - E



Part No:MT-INSLPS041

Description

Plate Bending Rod - F



Part No:MT-INSLPS029

Description

Bending Template for 3.5mm Low Contourable Dual Compression Plate,
Length 87mm, 7 Holes



ARMAR™ 3.5mm Locking Plate System Instrument Set

Part No:MT-INSLPS030

Description

Bending Template for 3.5mm Low Contourable Dual Compression Plate,
Length 114mm, 9 Holes



Part No:MT-INSLPS028

Description


Depth gauge for Screw 2.7/3.5mm measuring range up to 90mm



Part No:MT-INSLPS040

Description

Instrument Case with Lid - SLPS



ARMAR™ Elbow-Clavicle Plate System

2.7mm/3.5mm Superior Anterior Clavicle Plate

Material : TiCP | Thickness : 3 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1006094L	6	92
MT-PT1007110L	7	106
MT-PT1008120L	8	120
MT-PT1006094R	6	92
MT-PT1007110R	7	106
MT-PT1008120R	8	120



2.7mm/3.5mm Superior Anterior Clavicle Plate, with Lateral Extension

Material : TiCP | Thickness : 3 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1103069L	3	66
MT-PT1104081L	4	80
MT-PT1105094L	5	94
MT-PT1106108L	6	108
MT-PT1107122L	7	122
MT-PT1108136L	8	136
MT-PT1103069R	3	66
MT-PT1104081R	4	80
MT-PT1105094R	5	94
MT-PT1106108R	6	108
MT-PT1107122R	7	122
MT-PT1108136R	8	136



2.7mm/3.5mm Posterolateral Distal Humerus Plate

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0203055L	3	65
MT-PT0205090L	5	91
MT-PT0207116L	7	117
MT-PT0209143L	9	143
MT-PT0214208L	14	208
MT-PT0203055R	3	65
MT-PT0205090R	5	91
MT-PT0207116R	7	117
MT-PT0209143R	9	143
MT-PT0214208R	14	208



ARMAR™ Elbow-Clavicle Plate System

2.7mm/3.5mm Posterolateral Distal Humerus Plate, with Lateral Support

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0303055L	3	65
MT-PT0305090L	5	91
MT-PT0307116L	7	117
MT-PT0309143L	9	143
MT-PT0314208L	14	208
MT-PT0303055R	3	65
MT-PT0305090R	5	91
MT-PT0307116R	7	117
MT-PT0309143R	9	143
MT-PT0314208R	14	208



2.7mm/3.5mm Medial Distal Humerus Plate

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0103058L	3	58
MT-PT0105083L	5	84
MT-PT0107110L	7	110
MT-PT0109149L	9	136
MT-PT0103058R	3	58
MT-PT0105083R	5	84
MT-PT0107110R	7	110
MT-PT0109149R	9	136



2.7mm/3.5mm LPS Medial Distal Humerus Metaphyseal Plate

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT1507080	7	80
MT-PT1509106	9	106
MT-PT1511132	11	132
MT-PT1513158	13	158
MT-PT1515184	15	184



ARMAR™ Elbow-Clavicle Plate System

LPS Distal Humerus Extra Articular Plate 3.5

Material : TiCP | Thickness : 2.5 mm

PRODUCT CODE	HOLES	LENGTH
MT-PT4104122L	4	122
MT-PT4106158L	6	158
MT-PT4108194L	8	194
MT-PT4110230L	10	230
MT-PT4112266L	12	266
MT-PT4114302L	14	302
MT-PT4104122R	4	122
MT-PT4106158R	6	158
MT-PT4108194R	8	194
MT-PT4110230R	10	230
MT-PT4112266R	12	266
MT-PT4114302R	14	302



LPS Olecranon Plate 3.5

Material : TiCP | Thickness : 3.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0902086L	2	86
MT-PT0904112L	4	112
MT-PT0906138L	6	138
MT-PT0908164L	8	164
MT-PT0910190L	10	190
MT-PT0912216L	12	216
MT-PT0902086R	2	86
MT-PT0904112R	4	112
MT-PT0906138R	6	138
MT-PT0908164R	8	164
MT-PT0910190R	10	190
MT-PT0912216R	12	216



ARMAR™ Elbow-Clavicle Plate System

LPS Clavicle Hook Plate 3.5 | Material : TiCP | Thickness : 4.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT4404012L	4	12mm Depth
MT-PT4405012L	5	
MT-PT4406012L	6	
MT-PT4407012L	7	15mm Depth
MT-PT4404015L	4	
MT-PT4405015L	5	
MT-PT4406015L	6	18mm Depth
MT-PT4407015L	7	
MT-PT4404018L	4	
MT-PT4405018L	5	18mm Depth
MT-PT4406018L	6	
MT-PT4407018L	7	
MT-PT4404012R	4	12mm Depth
MT-PT4405012R	5	
MT-PT4406012R	6	
MT-PT4407012R	7	15mm Depth
MT-PT4404015R	4	
MT-PT4405015R	5	
MT-PT4406015R	6	18mm Depth
MT-PT4407015R	7	
MT-PT4404018R	4	
MT-PT4405018R	5	18mm Depth
MT-PT4406018R	6	
MT-PT4407018R	7	



MBOSS™ 3.5mm Screw

Ø 3.5mm Locking Screw, Self Tapping | Material : TAN

Head Diameter : 5.0mm | Outer Diameter : 3.5mm | Core Diameter : 2.9mm | Pitch : 0.8mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1235010	10
MT-ST1235012	12
MT-ST1235014	14
MT-ST1235016	16
MT-ST1235018	18
MT-ST1235020	20
MT-ST1235022	22
MT-ST1235024	24
MT-ST1235026	26
MT-ST1235028	28
MT-ST1235030	30
MT-ST1235032	32
MT-ST1235034	34
MT-ST1235036	36
MT-ST1235038	38
MT-ST1235040	40
MT-ST1235042	42
MT-ST1235044	44
MT-ST1235046	46
MT-ST1235048	48
MT-ST1235050	50
MT-ST1235052	52
MT-ST1235054	54
MT-ST1235056	56
MT-ST1235058	58
MT-ST1235060	60
MT-ST1235062	62
MT-ST1235065	65
MT-ST1235070	70
MT-ST1235075	75
MT-ST1235080	80
MT-ST1235085	85
MT-ST1235090	90



MBOSS™ 3.5mm Screw

Ø 3.5mm Cortex Screw, Self Tapping | Material : TiCP

Head Diameter : 6.0 | Outer Diameter : 3.5mm | Core Diameter : 2.4mm | Pitch : 1.25mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1135010	10
MT-ST1135012	12
MT-ST1135014	14
MT-ST1135016	16
MT-ST1135018	18
MT-ST1135020	20
MT-ST1135022	22
MT-ST1135024	24
MT-ST1135026	26
MT-ST1135028	28
MT-ST1135030	30
MT-ST1135032	32
MT-ST1135034	34
MT-ST1135036	36
MT-ST1135038	38
MT-ST1135040	40
MT-ST1135042	42
MT-ST1135044	44
MT-ST1135046	46
MT-ST1135048	48
MT-ST1135050	50
MT-ST1135055	55
MT-ST1135060	60
MT-ST1135065	65
MT-ST1135070	70
MT-ST1135075	75
MT-ST1135080	80
MT-ST1135085	85
MT-ST1135090	90



MBOSS™ 3.5mm Screw

Ø 4.0mm Cancellous Screw, Full Thread | Material : TiCP | Diameter : 6.0mm
Outer Diameter : 4.0mm | Core Diameter : 2.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1840010	10
MT-ST1840012	12
MT-ST1840014	14
MT-ST1840016	16
MT-ST1840018	18
MT-ST1840020	20
MT-ST1840022	22
MT-ST1840024	24
MT-ST1840026	26
MT-ST1840028	28
MT-ST1840030	30
MT-ST1840035	35
MT-ST1840040	40
MT-ST1840045	45
MT-ST1840050	50
MT-ST1840055	55
MT-ST1840060	60
MT-ST1840065	65
MT-ST1840070	70
MT-ST1840075	75
MT-ST1840080	80



MBOSS™ 3.5mm Screw

Ø 4.0mm Cancellous Screw, Short Thread | Material : TiCP | Diameter : 6.0mm
Outer Diameter : 4.0mm | Core Diameter : 2.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST1940010	10
MT-ST1940012	12
MT-ST1940014	14
MT-ST1940016	16
MT-ST1940018	18
MT-ST1940020	20
MT-ST1940022	22
MT-ST1940024	24
MT-ST1940026	26
MT-ST1940028	28
MT-ST1940030	30
MT-ST1940035	35
MT-ST1940040	40
MT-ST1940045	45
MT-ST1940050	50
MT-ST1940055	55
MT-ST1940060	60
MT-ST1940065	65
MT-ST1940070	70
MT-ST1940075	75
MT-ST1940080	80



MBOSS™ 2.7mm Screw

Ø 2.7mm Locking Screw, T8 Self Tapping | Material : TAN

Head Diameter : 3.5 | Outer Diameter : 2.7mm | Core Diameter : 2.1mm | Pitch : 0.6mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST0727012	12
MT-ST0727014	14
MT-ST0727016	16
MT-ST0727018	18
MT-ST0727020	20
MT-ST0727022	22
MT-ST0727024	24
MT-ST0727026	26
MT-ST0727028	28
MT-ST0727030	30
MT-ST0727032	32
MT-ST0727034	34
MT-ST0727036	36
MT-ST0727038	38
MT-ST0727040	40
MT-ST0727042	42
MT-ST0727044	44
MT-ST0727046	46
MT-ST0727048	48
MT-ST0727050	50
MT-ST0727055	55
MT-ST0727060	60



ARMAR™ Elbow and Clavicle System Instrument Set



ARMAR™ Elbow and Clavicle System Instrument Set

Part No:MT-INDR24002

Description

Drill Bit Ø2.0mm, Length 110mm, 2-flute, for Quick Coupling



Part No:MT-INDR24015

Description

Screwdriver shaft, T8, self-holding



Part No:MT-INDR24013

Description

Manual 0.8Nm Torque Limiter



Part No:MT-INDR24020

Description

Quick Change Handle Large with Quick Coupling, Length 138



Part No:MT-INDR24021

Description

Grasping sets of 2.4/2.7 locking screw, Screw Driver T8



Part No:MT-INDR24006

Description

LPS Drill Sleeve 2.7 with Scale up to 30mm, for Drill bits Ø2.0mm



ARMAR™ Elbow and Clavicle System Instrument Set

Part No:MT-INDR24016

Description

Screw Driver Stardrive T8 Self Holding



Part No:MT-INDR24019

Description

Depth Gauge for Screws Ø2.7 to 4.0 mm, measuring range up to 60 mm



Part No:MT-INELCV001

Description

Instrument Case with Lid



ARMAR™ 4.5mm Meril Locking Plate System

LPS Compression Plate Narrow 4.5 | Material : TiCP | Thickness : 4.2mm

PRODUCT CODE	HOLES	LENGTH
MT-PT2902044	2	44
MT-PT2903062	3	62
MT-PT2904080	4	80
MT-PT2905098	5	98
MT-PT2906116	6	116
MT-PT2907134	7	134
MT-PT2908152	8	152
MT-PT2909170	9	170
MT-PT2910188	10	188
MT-PT2911206	11	206
MT-PT2912224	12	224
MT-PT2914260	14	260
MT-PT2916296	16	296



LPS Compression Plate Broad 4.5 | Material : TiCP | Thickness : 5.2mm

PRODUCT CODE	HOLES	LENGTH
MT-PT2606116	6	116
MT-PT2607134	7	134
MT-PT2608152	8	152
MT-PT2609170	9	170
MT-PT2610188	10	188
MT-PT2611206	11	206
MT-PT2612224	12	224
MT-PT2613242	13	242
MT-PT2614260	14	260
MT-PT2615278	15	278
MT-PT2616296	16	296
MT-PT2617314	17	314
MT-PT2618332	18	332



ARMAR™ 4.5mm Meril Locking Plate System

LPS Distal Femur Plate 4.5 | Material : TAN | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PT4605156L	5	156
MT-PT4607196L	7	196
MT-PT4609236L	9	236
MT-PT4611276L	11	276
MT-PT4613316L	13	316
MT-PT4605156R	5	156
MT-PT4607196R	7	196
MT-PT4609236R	9	236
MT-PT4611276R	11	276
MT-PT4613316R	13	316



LPS Proximal Lateral Tibia Plate 4.5 | Material : TAN | Thickness : 4.5mm

PRODUCT CODE	HOLES	LENGTH
MT-PT4805140L	5	140
MT-PT4807180L	7	180
MT-PT4809220L	9	220
MT-PT4811260L	11	260
MT-PT4813300L	13	300
MT-PT4805140R	5	140
MT-PT4807180R	7	180
MT-PT4809220R	9	220
MT-PT4811260R	11	260
MT-PT4813300R	13	300



LPS T Plate 4.5mm | Material : TiCP | Thickness : 2.5mm

PRODUCT CODE	HOLES	LENGTH
MT-PT3003068	3	68
MT-PT3004084	4	84
MT-PT3005100	5	100
MT-PT3006116	6	116
MT-PT3007132	7	132
MT-PT3008148	8	148
MT-PT3010180	10	180
MT-PT3012212	12	212



ARMAR™ 4.5mm Meril Locking Plate System

LPS T Buttress Plate 4.5 | Material : TiCP | Thickness : 2.5mm

PRODUCT CODE	HOLES	LENGTH
MT-PT2804083	4	83
MT-PT2805099	5	99
MT-PT2806115	6	115



LPS L Buttress Plate 4.5 | Material : TiCP | Thickness : 2.5mm

PRODUCT CODE	HOLES	LENGTH
MT-PT2703069L	3	72
MT-PT2704085L	4	88
MT-PT2705101L	5	104
MT-PT2706117L	6	120
MT-PT2703069R	3	72
MT-PT2704085R	4	88
MT-PT2705101R	5	104
MT-PT2706117R	6	120



LPS Large Metaphyseal Plate 4.5 | Material : TiCP | Thickness : 4.2mm

PRODUCT CODE	HOLES	LENGTH
MT-PT0403118	8	118
MT-PT0404136	9	136
MT-PT0405154	10	154
MT-PT0406172	11	172
MT-PT0407190	12	190
MT-PT0408208	13	208
MT-PT0409226	14	226
MT-PT0411262	16	262
MT-PT0413298	18	298
MT-PT0415334	20	334



MBOSS™ 4.5mm Screw

Ø 5.0mm Locking Screw, Self Tapping | Material : TiCP

Head Diameter : 7.0mm | Outer Diameter : 5.0mm | Core Diameter : 4.4mm | Pitch : 1.0mm

PRODUCT CODE	LENGTH
MT-ST2850014	14
MT-ST2850016	16
MT-ST2850018	18
MT-ST2850020	20
MT-ST2850022	22
MT-ST2850024	24
MT-ST2850026	26
MT-ST2850028	28
MT-ST2850030	30
MT-ST2850032	32
MT-ST2850034	34
MT-ST2850036	36
MT-ST2850038	38
MT-ST2850040	40
MT-ST2850042	42
MT-ST2850044	44
MT-ST2850046	46
MT-ST2850048	48
MT-ST2850050	50
MT-ST2850055	55
MT-ST2850060	60
MT-ST2850065	65
MT-ST2850070	70
MT-ST2850075	75
MT-ST2850080	80
MT-ST2850085	85
MT-ST2850090	90



MBOSS™ 4.5mm Screw

Ø4.5mm Cortex Screw, Self Tapping | Material : TiCP

Head Diameter : 8.0mm | Outer Diameter : 4.5mm | Core Diameter : 3.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST2445014	14
MT-ST2445016	16
MT-ST2445018	18
MT-ST2445020	20
MT-ST2445022	22
MT-ST2445024	24
MT-ST2445026	26
MT-ST2445028	28
MT-ST2445030	30
MT-ST2445032	32
MT-ST2445034	34
MT-ST2445036	36
MT-ST2445038	38
MT-ST2445040	40
MT-ST2445042	42
MT-ST2445044	44
MT-ST2445046	46
MT-ST2445048	48
MT-ST2445050	50
MT-ST2445052	52
MT-ST2445054	54
MT-ST2445056	56
MT-ST2445058	58
MT-ST2445060	60
MT-ST2445062	62
MT-ST2445064	64
MT-ST2445066	66
MT-ST2445068	68
MT-ST2445070	70
MT-ST2445072	72
MT-ST2445074	74
MT-ST2445076	76
MT-ST2445078	78
MT-ST2445080	80
MT-ST2445085	85
MT-ST2445090	90
MT-ST2445095	95
MT-ST2445100	100



MBOSS™ 4.5mm Screw

Ø6.5mm Cancellous Screw, Full Thread Length | Material : TiCP

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.2mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST3665020	20
MT-ST3665025	25
MT-ST3665030	30
MT-ST3665035	35
MT-ST3665040	40
MT-ST3665045	45
MT-ST3665050	50
MT-ST3665055	55
MT-ST3665060	60
MT-ST3665065	65
MT-ST3665070	70
MT-ST3665075	75
MT-ST3665080	80
MT-ST3665085	85
MT-ST3665090	90
MT-ST3665095	95
MT-ST3665100	100
MT-ST3665105	105
MT-ST3665110	110



MBOSS™ 4.5mm Screw

Ø 6.5mm Cancellous Screw, 16mm Thread Length | Material : TiCP

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.2mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST3165030	30
MT-ST3165035	35
MT-ST3165040	40
MT-ST3165045	45
MT-ST3165050	50
MT-ST3165055	55
MT-ST3165060	60
MT-ST3165065	65
MT-ST3165070	70
MT-ST3165075	75
MT-ST3165080	80
MT-ST3165085	85
MT-ST3165090	90
MT-ST3165095	95
MT-ST3165100	100
MT-ST3165105	105
MT-ST3165110	110
MT-ST3165115	115
MT-ST3165120	120



MBOSS™ 4.5mm Screw

Ø 6.5mm Cancellous Screw, 32mm Thread Length | Material : TiCP

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.2mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST3265045	45
MT-ST3265050	50
MT-ST3265055	55
MT-ST3265060	60
MT-ST3265065	65
MT-ST3265070	70
MT-ST3265075	75
MT-ST3265080	80
MT-ST3265085	85
MT-ST3265090	90
MT-ST3265095	95
MT-ST3265100	100
MT-ST3265105	105
MT-ST3265110	110
MT-ST3265115	115
MT-ST3265120	120
MT-ST3265125	125
MT-ST3265130	130
MT-ST3265135	135
MT-ST3265140	140
MT-ST3265145	145
MT-ST3265150	150



MBOSS™ 4.5mm Screw

Ø 5.0mm Locking Cancellous Screw, Self Tapping | Material : TiCP

Head Diameter : 7.0 mm | Outer Diameter : 5.0 mm | Core Diameter : 3.2 mm | Pitch : 2.75 mm

PRODUCT CODE	LENGTH
--------------	--------

MT-ST8550050	50
MT-ST8550055	55
MT-ST8550060	60
MT-ST8550065	65
MT-ST8550070	70
MT-ST8550075	75
MT-ST8550080	80
MT-ST8550085	85
MT-ST8550090	90



ARMAR™ 4.5mm Locking Plate System Instrument Set



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS001

Description

Drill bit Ø3.2mm, Length 145mm, 2-flute, for Quick Coupling



Part No:MT-INLLPS002

Description

Drill bit Ø4.3mm, Length 270 mm, 2-flute, for Quick Coupling



Part No:MT-INLLPS003

Description

Drill bit Ø4.5mm, Length 145mm, 2-flute, for Quick Coupling



Part No:MT-INLLPS004

Description

Countersink for 4.5mm Screw Head, Length 130mm



Part No:MT-INLLPS005

Description

Tap for Cortex Screws Ø4.5mm, Length 130mm for quick coupling



Part No:MT-INLLPS015

Description

Ø3.2 Insert Drill Sleeve



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS010

Description

LPS Drill Sleeve 5.0, for Drill Bits Ø4.3mm



Part No:MT-INLLPS017

Description

Drill Sleeve OD4.3mm & ID2.0mm



Part No:MT-INLLPS013

Description

Double Drill Guide 4.5mm & 3.2mm, for Neutral and Load position



Part No:MT-INLLPS011

Description

Universal Drill Guide 4.5mm & 3.2mm



Part No:MT-INLLPS024

Description

Screwdriver, Hexagonal, A/F 3.5mm, with Groove & Holding Sleeve



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS020

Description

Screwdriver Shaft 3.5, hexagonal, self holding



Part No:MT-INLLPS021

Description

Screwdriver, hexagonal, large, Ø3.5mm, with Groove, Length 305mm



Part No:MT-INLLPS019

Description

Torque Limiter Screw Driver 3.5mm Hex Self Holding 4Nm



Part No:MT-INLLPS037

Description

Tension Device - LLPS



Part No:MT-INSLPS026

Description

Wrench-SLPS



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS038

Description

Broken Screw Extractor - LLPS



Part No:MT-INLLPS036

Description

Extraction Screw for 4.5mm/5.0mm Screws



Part No:MT-INSLPS031

Description

T-Handle with Quick coupling SLPS



Part No:MT-INLLPS030

Description

Screw Holding Sleeve, 4.5mm/5.0mm Screw



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS033

Description

Reduction Forceps With Points (Large)



Part No:MT-INLLPS034

Description


Termite Stagbeetle (Large)



Part No:MT-INLLPS035

Description

Bone Holding Forceps, Self Centering for LLPS



Part No:MT-INSLPS017

Description

Guide Wire - Kriscchner - SLPS



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS031

Description

Bending Iron for Plate - Type A - LLPS



Part No:MT-INLLPS032

Description

Bending Iron for Plate - Type B - LLPS



Part No:MT-INLLPS026

Description

Bending Template for 4.5mm Low Contourable Dual Compression Plate, Length 210mm



Part No:MT-INLLPS027

Description

Bending Template for 4.5mm Low Contourable Dual Compression Plate, Length 120mm



Part No:MT-INLLPS028

Description

Bending Template for 4.5mm Low Contourable Dual Compression Plate, Length 155mm



ARMAR™ 4.5mm Locking Plate System Instrument Set

Part No:MT-INLLPS025

Description

Depth Gauge for Screws 4.5/6.5mm, measuring range up to 100mm



Part No:MT-INLLPS022

Description

Cleaning Driver



Part No:MT-INLLPS012

Description

Double Drill Guide 4.5mm & 3.2mm



Part No:MT-INLLPS039

Description

Instrument Case with Lid - LLPS



ARMAR™ DHF & DSP Plates

130° Dynamic Hip Fixation System, Long Barrel Plate

Material : SS 316 LVM | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS5402046	2	46
MT-PS5404078	4	78
MT-PS5405094	5	94
MT-PS5406110	6	110
MT-PS5408142	8	142
MT-PS5410174	10	174
MT-PS5412206	12	206
MT-PS5414238	14	238
MT-PS5416270	16	270



135° Dynamic Hip Fixation System, Long Barrel Plate

Material : SS 316 LVM | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS5502046	2	46
MT-PS5504078	4	78
MT-PS5505094	5	94
MT-PS5506110	6	110
MT-PS5508142	8	142
MT-PS5510174	10	174
MT-PS5512206	12	206
MT-PS5514238	14	238
MT-PS5516270	16	270



ARMAR™ DHF & DSP Plates

130° Dynamic Hip Fixation System, Short Barrel Plate

Material : SS | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS6204078	4	78
MT-PS6205094	5	94
MT-PS6206110	6	110
MT-PS6208142	8	142
MT-PS6210174	10	174



135° Dynamic Hip Fixation System, Short Barrel Plate

Material : SS 316 LVM | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS5604078	4	78
MT-PS5605094	5	94
MT-PS5606110	6	110
MT-PS5608142	8	142
MT-PS5610174	10	174
MT-PS5612206	12	206
MT-PS5614238	14	238
MT-PS5616270	16	270



ARMAR™ DHF & DSP Plates

95° Dynamic Supracondylar Plate

Material : SS 316 LVM | Thickness : 6.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS3906114	6	114
MT-PS3908146	8	146
MT-PS3910178	10	178
MT-PS3912210	12	210
MT-PS3914242	14	242
MT-PS3916274	16	274



Trochanteric Stabilizing Plate

Material : SS 316 LVM | Thickness : 1.6mm

PRODUCT CODE	HOLES	LENGTH
MT-PS4005138	5	138
MT-PS4006148	6	148




MBOSS™ DHF & DSP Screw

Ø 6.5mm Cancellouse Screw, Full Thread | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS3365020	20
MT-SS3365025	25
MT-SS3365030	30
MT-SS3365035	35
MT-SS3365040	40
MT-SS3365045	45
MT-SS3365050	50
MT-SS3365055	55
MT-SS3365060	60
MT-SS3365065	65
MT-SS3365070	70
MT-SS3365075	75
MT-SS3365080	80
MT-SS3365085	85
MT-SS3365090	90
MT-SS3365095	95



MBOSS™ DHF & DSP Screw

Ø 6.5mm Cancellouse Screw, 16mm Thread Length | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS3465030	30
MT-SS3465035	35
MT-SS3465040	40
MT-SS3465045	45
MT-SS3465050	50
MT-SS3465055	55
MT-SS3465060	60
MT-SS3465065	65
MT-SS3465070	70
MT-SS3465075	75
MT-SS3465080	80
MT-SS3465085	85
MT-SS3465090	90
MT-SS3465095	95



MBOSS™ DHF & DSP Screw

Ø 6.5mm Cancellous Screw, 32mm Thread Length | Material : SS 316 LVM
Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Core Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
MT-SS3565045	45
MT-SS3565050	50
MT-SS3565055	55
MT-SS3565060	60
MT-SS3565065	65
MT-SS3565070	70
MT-SS3565075	75
MT-SS3565080	80
MT-SS3565085	85
MT-SS3565090	90
MT-SS3565095	95



MBOSS™ DHF & DSP Screw

12.5mm DHF/DSP Lag Screws | Material : SS 316 LVM
Outer Diameter : 12.0mm | Core Diameter : 8.2mm | Pitch : 3.0mm

PRODUCT CODE	LENGTH
MT-SS4022050	50
MT-SS4022055	55
MT-SS4022060	60
MT-SS4022065	65
MT-SS4022070	70
MT-SS4022075	75
MT-SS4022080	80
MT-SS4022085	85
MT-SS4022090	90
MT-SS4022095	95
MT-SS4022100	100
MT-SS4022105	105
MT-SS4022110	110
MT-SS4022115	115
MT-SS4022120	120
MT-SS4022125	125
MT-SS4022130	130
MT-SS4022135	135
MT-SS4022140	140
MT-SS4022145	145



Compression Screw for DHF/DSP | Material : SS 316 LVM
Head Diameter : 8.0mm | Outer Diameter : 4.0mm | Core Diameter : 3.3mm | Pitch : 0.7mm

PRODUCT CODE	LENGTH
MT-SS4140036	36



MBOSS™ DHF & DSP Screw


4.5mm Cortex Screw, Self Tapping | Material : SS 316 LVM | Diameter : 8.0mm |
Outer Diameter : 4.5mm | Inner Diameter : 3.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS2045014	14
MT-SS2045016	16
MT-SS2045018	18
MT-SS2045020	20
MT-SS2045022	22
MT-SS2045024	24
MT-SS2045026	26
MT-SS2045028	28
MT-SS2045030	30
MT-SS2045032	32
MT-SS2045034	34
MT-SS2045036	36
MT-SS2045038	38
MT-SS2045040	40
MT-SS2045042	42
MT-SS2045044	44
MT-SS2045046	46
MT-SS2045048	48
MT-SS2045050	50
MT-SS2045052	52
MT-SS2045054	54
MT-SS2045056	56
MT-SS2045058	58
MT-SS2045060	60
MT-SS2045062	62
MT-SS2045064	64
MT-SS2045066	66
MT-SS2045068	68
MT-SS2045070	70
MT-SS2045072	72
MT-SS2045076	76
MT-SS2045080	80
MT-SS2045085	85



ARMAR™ DHF & DSP Plate System Instrument Set



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INLLPS001

Description

Drill Bit Ø3.2mm, Length 145mm, 2 flute, for Quick coupling



Part No:MT-INLLPS003

Description

Drill Bit Ø4.5mm, Length 145mm, 2 flute, for Quick coupling



Part No:MT-INDHFS003

Description

Drill Bit Ø8.0mm, Length 245mm, 2 flute, for Quick coupling



Part No:MT-INDHFS026

Description

DHF Triple Reamer, Long Reamer



Part No:MT-INDHFS027

Description

DSP Triple Reamer



Part No:MT-INDHFS004

Description

DHF/DSP Tap



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INDHFS006

Description

Tap HB 6.5



Part No:MT-INDHFS024

Description

Simple Drill chuck



Part No:MT-INDHFS011

Description

Double Drill Guide 3.2mm & 6.5mm



Part No:MT-INDHFS012

Description

Double Drill Guide 3.2mm & 3.2mm, for Neutral and Load position



Part No:MT-INLLPS012

Description

Double Drill Guide 3.2mm & 4.5mm



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INDHFS014

Description

DSP Angled Guide 95°



Part No:MT-INDHFS008

Description

DHF Angled Guide 135°



Part No:MT-INDHFS009

Description

DHF/DSP Centering Sleeve



Part No:MT-INDHFS007

Description

DHF/DSP Guide Wire Ø2.5mm with threaded tip with trocar, Length 230mm



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INLLPS024

Description

Screwdriver, Hexagonal, A/F 3.5mm, with Groove & Holding Sleeve



Part No:MT-INSLPS031

Description

T-Handle with Quick coupling SLPS



Part No:MT-INSLPS033

Description

Screw Holding Forceps - SLPS



Part No:MT-INLLPS025

Description

Depth Gauge for Screws 4.5/6.5mm, measuring range up to 100mm



Part No:MT-INDHFS020

Description

DHF/DSP Direct Measuring Device



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INDHFS028

Description

DHF/DSP Impactor



Part No:MT-INDHFS015

Description

DHF Wrench for one-step insertion Length 230mm



Part No:MT-INDHFS019

Description

DHF Connecting Screw, for DHF Wrench



Part No:MT-INDHFS017

Description

DSP Wrench for one-step insertion Length 239mm



ARMAR™ Dynamic Fixation Plate System Instrument Set

Part No:MT-INDHFS018

Description

DSP Connecting Screw, for DSP Wrench



Part No:MT-INDHFS010

Description


Cleaning guide pin Ø2.8



Part No:MT-INDHFS029

Description

DHF/DSP Instrument Case



MBOSS™ 4.5mm Cannulated Screw

4.5mm Cannulated Screw, Self drilling, Short Thread

Material : TAN | Head Diameter : 6.5 | Outer Diameter : 4.5 | Core Diameter : 2.7 | Pitch : 1.75

PRODUCT CODE	LENGTH
--------------	--------

MT-ST2345020	20
MT-ST2345022	22
MT-ST2345024	24
MT-ST2345026	26
MT-ST2345028	28
MT-ST2345030	30
MT-ST2345032	32
MT-ST2345034	34
MT-ST2345036	36
MT-ST2345038	38
MT-ST2345040	40
MT-ST2345042	42
MT-ST2345044	44
MT-ST2345046	46
MT-ST2345048	48
MT-ST2345050	50
MT-ST2345052	52
MT-ST2345054	54
MT-ST2345056	56
MT-ST2345060	60
MT-ST2345064	64
MT-ST2345068	68
MT-ST2345072	72
MT-ST2345076	76
MT-ST2345080	80



MBOSS™ 4.5mm Cannulated Screw

Ø10.0mm Washer

Material : TAV | Diameter : 10.0mm | Thickness : 1.2

PRODUCT CODE	LENGTH
--------------	--------

MT-WT4210000	-
--------------	---



MBOSS™ 4.5 Cancellous Cannulated Screw Instrument set



MBOSS™ 4.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCS45001

Description

Drill bit Ø3.2mm, with 1.75mm Cannulation Length 170/140mm



Part No:MT-INCS45002

Description

Cannulated Countersink for Cannulated Ø4.5mm Screws



Part No:MT-INCS45003

Description

Parallel Guide for Guide wire Ø1.6mm, Adjustable for Cannulated Screw



Part No:MT-INCS45005

Description

Drill sleeve 3.2/1.6, for percutaneous insertion of cannulated Ø4.5mm Screws



MBOSS™ 4.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCS45006

Description

Drill sleeve 7/3.2, for percutaneous insertion of cannulated Ø4.5mm Screws



Part No:MT-INCS45007

Description

Protection sleeve 9.5/7, percutaneous insertion of cannulated Ø4.5mm Screws



Part No:MT-INCS45008

Description

Hexagonal Cannulated Screwdriver for cannulated Ø4.5mm Screws



Part No:MT-INCS45009

Description

Hexagonal Screwdriver for Ø4.5mm Screws



Part No:MT-INCS45010

Description

Direct measuring device for cannulated Ø4.5mm Screws



MBOSS™ 4.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCS45013

Description

Cleaning Pin



Part No:MT-INCS45019

Description

Guide Wire $\phi 1.5 \times 150$ - 1



Part No:MT-INCS45020

Description

Guide Wire $\phi 1.5 \times 150$ - 2



Part No:MT-INCS45021

Description

Trocar $\phi 1.5$ mm, for percutaneous insertion of cannulated Ø4.5mm Screws



Part No:MT-INCS45018

Description

Instrument Case With Lid



MBOSS™ 6.5mm Cannulated Screw

6.5mm Cannulated Screw, Self drilling, 16mm Thread Length

Material : TAN | Head Diameter : 8.0 | Outer Diameter : 6.5 | Core Diameter : 4.5 | Pitch : 2.75

PRODUCT CODE	LENGTH
MT-ST3965030	30
MT-ST3965035	35
MT-ST3965040	40
MT-ST3965045	45
MT-ST3965050	50
MT-ST3965055	55
MT-ST3965060	60
MT-ST3965065	65
MT-ST3965070	70
MT-ST3965075	75
MT-ST3965080	80
MT-ST3965085	85
MT-ST3965090	90
MT-ST3965095	95
MT-ST3965100	100
MT-ST3965105	105
MT-ST3965110	110



6.5mm Cannulated Screw, Self drilling, 32mm Thread Length

Material : TAN | Head Diameter : 8.0 | Outer Diameter : 6.5 | Core Diameter : 4.5 | Pitch : 2.75

PRODUCT CODE	LENGTH
MT-ST3765045	45
MT-ST3765050	50
MT-ST3765055	55
MT-ST3765060	60
MT-ST3765065	65
MT-ST3765070	70
MT-ST3765075	75
MT-ST3765080	80
MT-ST3765085	85
MT-ST3765090	90
MT-ST3765095	95
MT-ST3765100	100
MT-ST3965105	105
MT-ST3965110	110



MBOSS™ 6.5mm Cannulated Screw

Ø13.0mm Washer

Material : TAV | Diameter : 13.0mm | Thickness : 1.5

PRODUCT CODE	LENGTH
MT-WT4213000	-



MBOSS™ 6.5mm Cancellous Cannulated Screw Instrument set



MBOSS™ 6.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCC65001

Description

5.0mm Cannulated Drill Bit 300mm



Part No:MT-INCC65002

Description

Screw Measuring Device for guide wire



Part No:MT-INCC65003

Description

2.5mm x 300mm Threaded Guide Wire Trocar point



Part No:MT-INCC65005

Description

Screwdriver hexagonal cannulated 4.0mm



Part No:MT-INCC65006

Description


Fixation Sleeve for Drill Bits-CC65



Part No:MT-INCC65011

Description

Cleaning brush for Cc65



MBOSS™ 6.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCC65012

Description

12.0mm / 8.5mm Protection Sleeve



Part No:MT-INCC65013

Description

Drill Sleeve 8.5mm / 2.8mm for Guide Wire Ø2.5mm



Part No:MT-INCC65015

Description

Cleaning Pin for Cc65



Part No:MT-INCC65016

Description


15.5mm / 13.0mm Washer Sleeve



Part No:MT-INCC65017

Description

Double Drill Sleeve for guide wire



MBOSS™ 6.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INSLPS033

Description

Screw Holding Forceps



Part No:MT-INCC65007

Description

Wrench for Fixation Sleeve-CC65



Part No:MT-INCC65009

Description

Screwdriver, hexagonal 4.0mm



Part No:MT-INCC65020

Description

2.5mm Trocar



Part No:MT-INCC65021

Description

Drill Sleeve 8.5mm / 5.5mm for Ø5.0mm Drill Bit



MBOSS™ 6.5mm Cancellous Cannulated Screw Instrument set

Part No:MT-INCC65014

Description

Instrument Case with Lid - CS65



ARMAR™ Proximal Humeral Locking Plate System Instrument Set



ARMAR™ Proximal Humeral Locking Plate System Instrument Set

Part No:MT-INPHLP001

Description

Aiming Device for Proximal Humeral Plate



Part No:MT-INPHLP002

Description

3.5 LPS Drill Sleeve for Ø2.8mm Drill Bits



Part No:MT-INPHLP003

Description

Centering Sleeve for Aiming Device



Part No:MT-INPHLP004

Description

Drill Sleeve for Aiming Device



Part No:MT-INPHLP005

Description

Drill Sleeve for Guide Wire Ø1.5mm



ARMAR™ Proximal Humeral Locking Plate System Instrument Set

Part No:MT-INPHLP006

Description

Depth Gauge for PHLP



Part No:MT-INPHLP007

Description

Guide Wire Ø1.5, length 150mm



Part No:MT-INPHLP008

Description

Instrument Case with Lid - PHLP



ARMAR™ Proximal Lateral Tibia Locking Plate System Instrument Set



ARMAR™ Proximal Lateral Tibia Locking Plate System Instrument Set

Part No:MT-INPLTP001

Description

Drill Sleeve for Insertion guide-PLTP



Part No:MT-INPLTP002

Description

Drill Sleeve for Ø4.3mm Drill bit-PLTP



Part No:MT-INPLTP003

Description

Fixation Bolt for Insetion Guide



Part No:MT-INPLTP004

Description

Trocar for PLTP



Part No:MT-INPLTP005

Description

Depth Gauge for PLTP



Part No:MT-INPLTP006

Description

Centering Sleeve for Guide Wire Ø2.5mm



ARMAR™ Proximal Lateral Tibia Locking Plate System Instrument Set

Part No:MT-INPLTP007

Description

Insertion Guide for Proximal Tibia Right



Part No:MT-INPLTP008

Description

Insertion Guide for Proximal Tibia Left



Part No:MT-INDFLP009

Description


Guide Wire Ø2.5, length 250mm



Part No:MT-INDFLP010

Description

Wrench for Fixation Sleeve



ARMAR™ Proximal Lateral Tibia Locking Plate System Instrument Set

Part No:MT-INDFLP011

Description

Fixation Sleeve for Drill Bits



Part No:MT-INDFLP012

Description

Pulling Device



Part No:MT-INDFLP013

Description

Wrench for Fixation Bolt



Part No:MT-INDFLP014

Description

Stopper for Insertion Guide



Part No:MT-INPLTP015

Description

Screwdriver Shaft A/F3.5, hexagonal Large



ARMAR™ Proximal Lateral Tibia Locking Plate System Instrument Set

Part No:MT-INPLTP016

Description

Screwdriver, Hexagonal, Large, A/F3.5mm



Part No:MT-INPLTP018

Description

Drill Bit Ø4.3mm, Length 300mm, 2 flute, for Quick coupling



Part No:MT-INPLTP019

Description

Instrument Case with Lid - PLTP



ARMAR™ Distal Femoral Locking Plate system Instrument Set



ARMAR™ Distal Femoral Locking Plate System Instrument Set

Part No:MT-INDFLP001

Description

Insertion Guide for Distal Femur, Left



Part No:MT-INDFLP002

Description

Centering Sleeve for Guide Wire Ø2.5mm-DFLP



Part No:MT-INDFLP003

Description

Drill Sleeve for Insertion guide-DFLP



Part No:MT-INDFLP004

Description


Fixation Bolt for Insertion Guide



Part No:MT-INDFLP005

Description

Drill Sleeve for Ø4.3mm Drill bit-DFLP



ARMAR™ Distal Femoral Locking Plate System Instrument Set

Part No:MT-INDFLP006

Description

Trocar for DFLP



Part No:MT-INDFLP007

Description

Depth Gauge for DFLP



Part No:MT-INDFLP008

Description

Insertion Guide for Distal Femur, Right



Part No:MT-INDFLP009

Description


Guide Wire Ø2.5, length 250mm



Part No:MT-INDFLP010

Description

Wrench for Fixation Sleeve



ARMAR™ Distal Femoral Locking Plate System Instrument Set

Part No:MT-INDFLP011

Description

Fixation Sleeve for Drill Bits



Part No:MT-INDFLP012

Description

Pulling Device



Part No:MT-INDFLP013

Description

Wrench for Fixation Bolt



Part No:MT-INDFLP014

Description

Stopper for Insertion Guide



Part No:MT-INDFLP015

Description

Screwdriver Shaft A/F3.5, hexagonal Large, self-holding sleeve



ARMAR™ Distal Femoral Locking Plate System Instrument Set

Part No:MT-INDFLP016

Description

Screwdriver, Hexagonal, Large, A/F3.5mm, with Groove



Part No:MT-INDFLP018

Description

Drill Bit Ø4.3mm, Length 300mm, 2 flute, for Quick coupling



Part No:MT-INDFLP019

Description

Instrument Case with Lid - DFLP



ARMAR™ 3.5mm Small Fragment Plate System

Small Compression Plate 3.5 | Material : SS 316 LVM | Thickness : 3.0mm

PRODUCT CODE	HOLES	LENGTH
MT-PS0602026	2	26
MT-PS0603038	3	38
MT-PS0604050	4	50
MT-PS0605062	5	62
MT-PS0606074	6	74
MT-PS0607086	7	86
MT-PS0608098	8	98
MT-PS0609110	9	110
MT-PS0610122	10	122
MT-PS0611134	11	134
MT-PS0612146	12	146



Low Contourable Dual Compression Plate 3.5 | Material : SS 316 LVM | Thickness : 3.3mm


PRODUCT CODE	HOLES	LENGTH
MT-PS2504051	4	51
MT-PS2505064	5	64
MT-PS2506077	6	77
MT-PS2507090	7	90
MT-PS2508103	8	103
MT-PS2509116	9	116
MT-PS2510129	10	129
MT-PS2511142	11	142
MT-PS2512155	12	155



MBOSS™ 3.5mm Screw

Ø3.5mm Cortex Screw, Self Tapping | Material : SS 316 LVM | Head Diameter : 6.0mm
Outer Diameter : 3.5mm | Core Diameter : 2.4mm | Pitch : 1.25mm

PRODUCT CODE	LENGTH
MT-SS1035010	10
MT-SS1035012	12
MT-SS1035014	14
MT-SS1035016	16
MT-SS1035018	18
MT-SS1035020	20
MT-SS1035022	22
MT-SS1035024	24
MT-SS1035026	26
MT-SS1035028	28
MT-SS1035030	30
MT-SS1035032	32
MT-SS1035034	34
MT-SS1035036	36
MT-SS1035038	38
MT-SS1035040	40
MT-SS1035042	42
MT-SS1035044	44
MT-SS1035045	45
MT-SS1035046	46
MT-SS1035048	48
MT-SS1035050	50
MT-SS1035055	55
MT-SS1035060	60
MT-SS1035065	65
MT-SS1035070	70
MT-SS1035075	75
MT-SS1035080	80
MT-SS1035085	85
MT-SS1035090	90
MT-SS1035095	95
MT-SS1035100	100
MT-SS1035105	105
MT-SS1035110	110




MBOSS™ 3.5mm Screw

Ø4.0mm Cancellous Bone Screw, Full Thread | Material : SS 316 LVM

Head Diameter : 6.0mm | Outer Diameter : 4.0mm | Core Diameter : 1.9mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
MT-SS1640010	10
MT-SS1640012	12
MT-SS1640014	14
MT-SS1640016	16
MT-SS1640018	18
MT-SS1640020	20
MT-SS1640022	22
MT-SS1640024	24
MT-SS1640026	26
MT-SS1640028	28
MT-SS1640030	30
MT-SS1640032	32
MT-SS1640035	35
MT-SS1640040	40
MT-SS1640045	45
MT-SS1640050	50
MT-SS1640055	55
MT-SS1640060	60
MT-SS1640065	65
MT-SS1640070	70
MT-SS1640075	75
MT-SS1640080	80



MBOSS™ 3.5mm Screw

Ø4.0mm Cancellous Bone Screw, Short Thread | Material : SS 316 LVM

Head Diameter : 6.0mm | Outer Diameter : 4.0mm | Core Diameter : 1.9mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
MT-SS1740010	10
MT-SS1740012	12
MT-SS1740014	14
MT-SS1740016	16
MT-SS1740018	18
MT-SS1740020	20
MT-SS1740022	22
MT-SS1740024	24
MT-SS1740026	26
MT-SS1740028	28
MT-SS1740030	30
MT-SS1740032	32
MT-SS1740035	35
MT-SS1740040	40
MT-SS1740045	45
MT-SS1740050	50
MT-SS1740055	55
MT-SS1740060	60
MT-SS1740065	65
MT-SS1740070	70
MT-SS1740075	75
MT-SS1740080	80



ARMAR™ Small Fragment Plate System Instrument Set



ARMAR™ Small Fragment Plate System Instrument Set

Part No:MT-INSFSC001

Description

Universal drill Guide 3.5mm & 2.5mm



Part No:MT-INSFSC002

Description

Double drill Guide 2.5mm & 2.0mm



Part No:MT-INSFSC003

Description

Double Drill Guide 2.5mm & 2.5mm for Neutral and Load position



Part No:MT-INSFSC004

Description

Depth Gauge for SFSC



ARMAR™ Small Fragment Plate System Instrument Set

Part No:MT-INSFSC005

Description

T-Handle with Quick coupling SFSC



Part No:MT-INSFSC006

Description

Countersink for Ø6.0mm Screw Head with Quick coupling



Part No:MT-INSFSC007

Description

Tap for Cortex screw Ø3.5mm for Quick Coupling



Part No:MT-INSFSC008

Description

Tap for Cancellous screw Ø4.0mm for Quick Coupling



Part No:MT-INSFSC009

Description

Bending Template for 3.5mm Low Contourable Dual Compression Plate & Dynamic Compression Plate



ARMAR™ Small Fragment Plate System Instrument Set

Part No:MT-INSFSC010

Description

Bending Template for 3.5mm Reconstruction Plate



Part No:MT-INSFSC011

Description

Screw Holding Forceps-SFSC



Part No:MT-INSFSC012

Description

Screwdriver Shaft A/F2.5, hexagonal, self-holding sleeve



Part No:MT-INSFSC013

Description

Screw Holding Sleeve - SFSC



Part No:MT-INSFSC014

Description

Screwdriver, Hexagonal, small, A/F2.5mm, with Groove



ARMAR™ Small Fragment Plate System Instrument Set

Part No:MT-INSFSC015

Description

Extraction Screw for Ø3.5mm Screws



Part No:MT-INSFSC016

Description

Broken Screw Extractor - SFSC



Part No:MT-INSFSC017

Description

Drill Bit Ø2.5mm, Length 127mm, 2 flute, for Quick coupling



Part No:MT-INSFSC018

Description

Drill Bit Ø2.0mm, Length 127mm, 2 flute, for Quick coupling



Part No:MT-INSFSC019

Description

Drill Bit Ø3.5mm, Length 127mm, 2 flute, for Quick coupling



Part No:MT-INSFSC020

Description

Instrument Case with Lid - SFSC



ARMAR™ 4.5mm Large Fragment Plate System

4.5mm Low Contourable Dual Compression Plate Narrow

Material : SS 316 LVM | Thickness : 4.2mm

PRODUCT CODE	HOLES	LENGTH
MT-PS3702034	2	34
MT-PS3703052	3	52
MT-PS3704070	4	70
MT-PS3705088	5	88
MT-PS3706106	6	106
MT-PS3707124	7	124
MT-PS3708142	8	142
MT-PS3709160	9	160
MT-PS3710178	10	178
MT-PS3711196	11	196
MT-PS3712214	12	214
MT-PS3713232	13	232
MT-PS3714250	14	250
MT-PS3715268	15	268
MT-PS3716286	16	286



4.5mm Low Contourable Dual Compression Plate Broad

Material : SS 316 LVM | Thickness : 5.2mm

PRODUCT CODE	HOLES	LENGTH
MT-PS3606106	6	106
MT-PS3607124	7	124
MT-PS3608142	8	142
MT-PS3609160	9	160
MT-PS3610178	10	178
MT-PS3611196	11	196
MT-PS3612214	12	214
MT-PS3613232	13	232
MT-PS3614250	14	250
MT-PS3615268	15	238
MT-PS3616286	16	286
MT-PS3617304	17	304
MT-PS3618322	18	322




MBOSS™ 4.5mm Screw

Ø4.5mm Cortex Screw, Self Tapping | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 4.5mm | Inner Diameter : 3.0mm | Pitch : 1.75mm

PRODUCT CODE	LENGTH
MT-SS2045014	14
MT-SS2045016	16
MT-SS2045018	18
MT-SS2045020	20
MT-SS2045022	22
MT-SS2045024	24
MT-SS2045026	26
MT-SS2045028	28
MT-SS2045030	30
MT-SS2045032	32
MT-SS2045034	34
MT-SS2045036	36
MT-SS2045038	38
MT-SS2045040	40
MT-SS2045042	42
MT-SS2045044	44
MT-SS2045046	46
MT-SS2045048	48
MT-SS2045050	50
MT-SS2045052	52
MT-SS2045054	54
MT-SS2045056	56
MT-SS2045058	58
MT-SS2045060	60
MT-SS2045062	62
MT-SS2045064	64
MT-SS2045066	66
MT-SS2045068	68
MT-SS2045070	70
MT-SS2045072	72
MT-SS2045076	76
MT-SS2045080	80




MBOSS™ 4.5mm Screw

Ø6.5mm Cancellous Screw, Full Thread | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 4.5mm | Inner Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS3365020	20
MT-SS3365025	25
MT-SS3365030	30
MT-SS3365035	35
MT-SS3365040	40
MT-SS3365045	45
MT-SS3365050	50
MT-SS3365055	55
MT-SS3365060	60
MT-SS3365065	65
MT-SS3365070	70
MT-SS3365075	75
MT-SS3365080	80
MT-SS3365085	85
MT-SS3365090	90
MT-SS3365095	95
MT-SS3365100	100



Ø6.5mm Cancellous Screw, 16mm Thread Length | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Inner Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS3465030	30
MT-SS3465035	35
MT-SS3465040	40
MT-SS3465045	45
MT-SS3465050	50
MT-SS3465055	55
MT-SS3465060	60
MT-SS3465065	65
MT-SS3465070	70
MT-SS3465075	75
MT-SS3465080	80
MT-SS3465085	85
MT-SS3465090	90
MT-SS3465095	95
MT-SS3465100	100
MT-SS3465105	105
MT-SS3465110	110



MBOSS™ 4.5mm Screw

Ø6.5mm Cancellous Screw, 32mm Thread Length | Material : SS 316 LVM

Head Diameter : 8.0mm | Outer Diameter : 6.5mm | Inner Diameter : 3.0mm | Pitch : 2.75mm

PRODUCT CODE	LENGTH
--------------	--------

MT-SS3565045	45
MT-SS3565050	50
MT-SS3565055	55
MT-SS3565060	60
MT-SS3565065	65
MT-SS3565070	70
MT-SS3565075	75
MT-SS3565080	80
MT-SS3565085	85
MT-SS3565090	90
MT-SS3565095	95



ARMAR™ Large Fragment Plate System Instrument Set



ARMAR™ Large Fragment Plate System Instrument Set

Part No:MT-INLFNC001

Description

Universal drill Guide 3.2mm & 4.5mm



Part No:MT-INLFNC002

Description

Double drill Guide 3.2mm & 6.5mm



Part No:MT-INLFNC003

Description

Double Drill Guide 3.2mm & 3.2mm for Neutral and Load position



ARMAR™ Large Fragment Plate System Instrument Set

Part No:MT-INLFNC005

Description

Drill Sleeve Insert with stop for Screw Ø4.5



Part No:MT-INLFNC006

Description

Ø3.2 Insert Drill Sleeve



Part No:MT-INLFNC007

Description

Depth Gauge for LFNC



Part No:MT-INLFNC008

Description

T-Handle with Quick coupling LFNC



Part No:MT-INLFNC009

Description

Countersink for Ø3.0mm Length 112mm Screw Head with Quick coupling



ARMAR™ Large Fragment Plate System Instrument Set

Part No:MT-INLFNC010

Description

Tap for Cortex screw Ø4.5mm Length for Quick Coupling



Part No:MT-INLFNC011

Description

Tap for Cancellous screw Ø6.5mm Length for Quick Coupling



Part No:MT-INLFNC012

Description

Bending Template Long



Part No:MT-INLFNC013

Description

Bending Template Short



Part No:MT-INLFNC014

Description

Screw Holding Forceps - LFNC



Part No:MT-INLFNC015

Description

Screwdriver Shaft A/F3.5, hexagonal Large, self-holding sleeve-LFNC



ARMAR™ Large Fragment Plate System Instrument Set

Part No:MT-INLFNC016

Description

Screwdriver, Hexagonal, Large, A/F3.5mm, with Groove-LFNC



Part No:MT-INLFNC017

Description

Screw Holding Sleeve - LFNC



Part No:MT-INLFNC018

Description

Extraction Screw for 5.0mm Screws



Part No:MT-INLFNC019

Description

Broken Screw Extractor - LFNC



Part No:MT-INLFNC020

Description

Drill Bit Ø3.2mm, Length 147mm, 2 flute, for Quick coupling



Part No:MT-INLFNC021

Description

Drill Bit Ø4.5mm, Length 147mm, 2 flute, for Quick coupling



ARMAR™ Large Fragment Plate System Instrument Set

Part No:MT-INLFNC022

Description

Instrument Case with Lid - LFNC

